

Scan QR to  
download  
eCatalog





## INDEX

Profile.....	05
Intensive Care Unit.....	07
Examination.....	19
Maternity.....	23
Transfers.....	27
Dialysis.....	33
Ward Care.....	35





9001 :2015  
13485 :2016  
14001 :2015

We are India's largest Manufacturer of Medical Furniture with a factory at 30,000 sqft and expanding. We are dedicated to improve the quality of hospitalisation and making hospitals a safer space. Our well trained fleet of service personals help you solve any service issue within 24hrs. All the components used in our products are of high quality. We are certified with Medical ISO and European CE.

Certified by CE, ISO 9001:2015, ISO 13485 and ISO 14001:2015

We at imedfurns always have our first preference as solving our customer's problems and to make them feel comfortable. Hospital is the place where a person needs the most comfort. imedfurns was established to bring out quality and innovative products which was a rare sight in the hospital furniture manufacturing industry.

Our aim is to innovate products that satisfy both care taker and the patient. Which means, it should have in it all the advanced technology and versatility but at the same time be very simple, comfortable and ergonomic which makes us feel like home.




Imagine a future where the bed on which the patient is resting can capture the vitals of the patient without even touching them, not just that, but it can also process that data internally and send necessary information and signals not just to the nurse control panel but also to the other equipment in its surrounding to keep them ready. Well, this is not a very far fetched idea. We at imedfurns are already working to achieve the same with our Clever Care™ range that aims to make smart medical equipment



A light gray hospital bed with white side rails and a control panel on the right side. The bed is positioned diagonally. A teal banner with white text is overlaid across the middle. The background is white.

# **INTENSIVE CARE UNIT (ICU)**

IMED-C8



Buffer to Buffer	2170 mm x 1100 mm	Max. Height (Incl. Mattress)	940 mm
Mattress Platform	1940 mm x 865 mm	Min. Height (Incl. Mattress)	570 mm
Backrest	0° - 75°	Trendelenburg	15°
Knee-rest	0° - 35°	Reverse Trendelenburg	15°



# SMART BED IMED-C8

## Specifications

- The IMED-C8 is a highly sophisticated bed which can detect if patient exits the bed or falls from the bed with the help of sensors. The bed can readily show the weight of the patient lying on the bed.
- The Height, Backrest, Kneerest, Trendelenburg, Reverse Trendelenburg, Cardiac chair, Examination & shock position are done by a sophisticated remote controller. The bed functions through quiet and super smooth electric motors. Calf elevations can be adjusted manually using ratchet.
- The bed comes with controls on side rails both inside and outside for both patients and nurses to use. Newly designed split type ABS side rails with angle indicators. Angle indicators are provided for both backrest and trendelenburg adjustments. ABS head and foot boards can be removed for easy cleaning and other necessary purposes.
- Manual CPR lever is provided on both the side of the bed for times of emergency and electronic CPR button is provided on handset, nurses pannel and on side rails.
- The bed comes with battery backup function so that at times of power failure the bed can be used with ease.
- The top of the bed is made of ABS material which can be easily detached from the bed for cleaning. The ABS top of the bed is X-ray permeable. X-ray cassette is optional.
- 5" sleek & heavy duty central locking castor wheels which applies brake to all 4 wheels with just a press with the leg. The corners of the bed is provided with neoprene rubber bumpers for shock absorption.
- The bed comes with a 4" High density mattress with Antimicrobial, Flame retardant and water repellent properties. The mattress is four sectional for easy adjustments. Urine bag holder & heavy duty I.V. pole provided.

## Smart Features



Bed exit  
Alarm



Weight  
Monitor



Smart  
Nurse Pannel



Digital  
Patient Chart



Weight  
Graph

## Standard Inclusion



X-ray  
permeable



Manual  
CPR



Battery  
Backup

## Mattress properties



Antimicrobial



Water  
Repellent



Flame  
Retardant

### X-Ray Permissible

The C8 comes with X-Ray cassette holder accessible from the head side of the bed which allows for hassle free Chest and head X-Rays



### Mattress

The C8 comes as standard with 100mm high density radiolusent mattress with antibacterial, water repellent and fire retardant properties



### Integrated controls

The head side rails on the C8 is provisioned with easy access function controls for the comfort of the patient and caregiver. These controls



### CPR

The C8 is fitted with both Electric CPR function that can be used from any of the 4 control panels and manual CPR levers on both the sides



### Central Lock Castor

The twin wheel castors on the C8 comes with a central locking system with parallel locking facility that is used for fast movement through narrow spaces





#### Patient Information Chart

Thanks to the C8's environment friendly digital Patient log, hospitals no more need to hang a file along with each cot and do tedious paper work and recording



#### Touch Screen

The main control center of the C8 is its IP certified 7 inch high res display powered by our CleverCare™ technology which is super responsive and easy to use when compared to traditional NCPs



#### Bed Exit Alarm

The CleverCare™ bed comes with motion sensors that can sense and alert the caregiver upon the patient's exit from the bed

0.00 kg  
0.00 lb

#### Weight Scale

The CleverCare™ powered C8 bed allows us to measure the weight of the patient on the bed and store them for clinical analysis



#### Bed Extension

For the purpose of easy accommodation of taller patients the C8 has the ability to extent its leg end up to 180mm for extra legroom

# IMED C8

# IMED-C8S



Buffer to Buffer	2170 mm x 1100 mm	Max. Height (Incl. Mattress)	890 mm
Mattress Platform	1940 mm x 865 mm	Min. Height (Incl. Mattress)	520 mm
Backrest	0° - 75°	Trendelenburg	15°
Knee-rest	0° - 35°	Reverse Trendelenburg	15°



# 8 FUNCTION BED IMED-C8S

## Specification

- The Height, Backrest, Kneerest, Trendelenburg, Reverse Trendelenburg, Cardiac chair, Examination & shock position are done by a sophisticated remote controller. The bed functions through quiet and super smooth electric motors. Calf elevations can be adjusted manually using ratchet.
- The bed comes with controls on side rails both inside and outside for both patients and nurses to use. Newly designed split type ABS side rails with angle indicators. Angle indicators are provided for both backrest and trendelenburg adjustments. ABS head and foot boards can be removed for easy cleaning and other necessary purposes.
- Manual CPR lever is provided on both the side of the bed for times of emergency and electronic CPR button is provided on handset, nurses pannel and on side rails.
- The bed comes with battery backup function so that at times of power failure the bed can be used with ease. (Optional)
- The top of the bed is made of ABS material which can be easily detached from the bed for cleaning. The ABS top of the bed is X ray permeable. X-ray cassette is optional.
- 5" sleek & heavy duty central locking castor wheels which applies brake to all 4 wheels with just a press with the leg. The corners of the bed is provided with neoprene rubber bumpers for shock absorption.
- The bed comes with a 4" High density mattress with Antimicrobial, Flame retardant and water repellent properties. The mattress is four sectional for easy adjustments. Urine bag holder & heavy duty I.V. pole provided.

## Optional Extra



X-ray permeable



Battery Backup (Optional)



Central Locking



Nurse Pannel (Optional)



Manual CPR

## Mattress properties



Antimicrobial Mattress



Fire retardant Mattress



Water proof Mattress

IMED5001



Buffer to Buffer	2140 mm x 1050 mm	Max. Height (Incl. Mattress)	900 mm
Mattress Platform	1880 mm x 865 mm	Min. Height (Incl. Mattress)	540 mm
Backrest	0° - 75°	Trendelenburg	17°
Knee-rest	0° - 35°	Reverse Trendelenburg	17°

# 5 FUNCTION BED IMED5001

## Specifications

- The Height, Backrest, Kneerest, Trendelenburg and Reverse Trendelenburg adjustments are done with the help of a sophisticated remote controller.
- The bed functions through quiet and super smooth electric motors. Calf elevations can be adjusted manually using ratchet.
- Newly designed split type ABS side rails with angle indicators assist in setting the desired position for the patient.
- The curved ABS head and foot boards can be removed for easy cleaning and other necessary procedures.
- 5" Heavy duty castor wheels with brakes on adjacent side, buffers for shock absorption. Central locking optional
- The bed comes with a 4" High density mattress with Antimicrobial, Flame retardant and water repellent properties.
- The mattress is four sectional for easy adjustments. Urine bag holder & heavy duty I.V. pole provided.
- Height adjustable stainless steel IV pole with provision for IV pole on all four corners of the bed is provided as standard.

## Optionals



Battery Backup



Central Locking



Nurse Panel



Manual CPR



X-ray permeable

## Mattress properties



Antimicrobial Mattress



Fire retardant Mattress



Water proof Mattress



### Mattress properties



Antimicrobial  
Mattress



Fire retardant  
Mattress



Water proof  
Mattress

## 5 FUNCTION BED (MANUAL) (ABS) IMED5101



Buffer to Buffer	2160 mm x 1110 mm
Mattress Platform	1880 mm x 865 mm
Backrest	0° - 75°
Max. Height (Incl. Mattress)	840 mm
Min. Height (Incl. Mattress)	640 mm
Trendelenburg	13°
Reverse Trendelenburg	8°

### Specifications

- The Height, Backrest, Kneerest, Trendelenburg & Reverse trendelenburg adjustments are done by screw-lever mechanism. Calf elevations can be adjusted manually using ratchet. Screw levers handles are fold-able.
- Newly designed split type ABS side rails with angle indicators. Angle indicators are provided. ABS head and foot boards can be removed for easy cleaning and other necessary purposes.
- 5" Heavy duty castor wheels with brakes on adjacent side, buffers for shock absorption.
- 4" High density mattress with Antimicrobial, Flame retardant and water repellent properties. Four sectional mattress.
- Urine bag holder, heavy duty I.V. pole.





### Mattress properties



Antimicrobial  
Mattress



Fire retardant  
Mattress



Water proof  
Mattress

## 5 FUNCTION BED (MANUAL) IMED5103



Buffer to Buffer	2085 mm x 1010 mm
Mattress Platform	1880 mm x 865 mm
Backrest	0° - 75°
Max. Height (Incl. Mattress)	810 mm
Min. Height (Incl. Mattress)	580 mm
Trendelenburg	15°
Reverse Trendelenburg	8°

### Specifications

- The Height, Backrest, Kneerest, Trendelenburg & Reverse trendelenburg adjustments are done by screw-lever mechanism. Calf elevations can be adjusted manually using ratchet. Screw levers handles are fold-able.
- Manually adjustable calf elevation.
- Collapsible Aluminium side rails to prevent patients from fall.
- The ABS head and foot boards can be removed when needed.
- 5" Heavy duty castor wheels with brakes on adjacent side, buffers for shock absorption.
- 4" High density mattress with Antimicrobial, Flame retardant and water repellent properties. Four sectional mattress.
- Urine bag holder, heavy duty I.V. pole.



## CRASH CART XL IMED4030

Buffer to buffer	845 mm x 545 mm
Height	1015 mm

### Specifications

- The frame is constructed from high-quality aluminum. The left side, right side, and back panels are made from this material and coated with electro-static powder for a smooth and protective finish.
- The table of the crash cart is made of durable ABS material and features guardrails on three sides. It is molded in a single piece for enhanced structural integrity.
- The crash cart's table is equipped with a telescopic infusion stand and a rotating tray. The rotating tray is retractable and adjustable, allowing for flexible use. Additionally, the left side of the trolley features a concealed ABS writing board for easy recording, while the right side is equipped with a hidden recovery board.
- The crash cart includes six drawers, each uniquely designed with handles of distinctive shape. The drawers are organized using a color separation system, facilitating efficient storage and retrieval of medical supplies.
- The crash cart is equipped with casters, which have a diameter of 125mm. These high-quality casters ensure smooth and easy mobility of the cart, contributing to its overall functionality.

### Features



CPR  
Board



Plug  
Socket



Writing  
Pad



O2 Cage  
Holder



Centralised  
Locking



Defibrillator  
Stand



# EXAMINATIONS



### Mattress properties



Antimicrobial  
Mattress



Fire retardant  
Mattress



Water proof  
Mattress

## EXAMINATION TABLE (MOTORISED) IMED4031



Overall Dimension	1880 mm x 610 mm
Mattress Platform	1830 mm x 610 mm
Backrest	0° - 85°
Max. Height (Incl. Mattress)	870 mm
Min. Height (Incl. Mattress)	530 mm

### Specifications

- Electrically operated Height & Backrest adjustments, which helps the patient to get easily on and off the table. The examiners will be at ease as they don't have to strain their backs.
- Provided with one draw for storage purpose and easily accessible by the examiner. Dual side open draw for easy access.
- Paper roller at the bottom of the table for placing tissue roller which improves the hygiene.
- High density waterproof mattress with Antimicrobial, Flame retardant and water repellent properties and two splits which enhances patients comfort and experience while on the table.



## GYNAEC EXAMINATION TABLE (MOTORISED) IMED4033



Overall Dimension	1695 mm x 680 mm
Mattress Platform	1640 mm x 600 mm
Backrest	0° - 75°
Max. Height (Incl. Mattress)	960 mm
Min. Height (Incl. Mattress)	560 mm
Pelvic Tilt	0° - 90°

### Specifications

- Height, Backrest and Pelvic Tilt adjustable by remote electrically.
- Provided with lithotomy cup in stainless steel and steel hand grips for better patient comfort.
- Provided with paper roll for changing the paper easily after each examination with promotes good hygiene.
- Mattress provided with thick high density foam for better patient comfort and experience while using the table.
- I.V. hook provision provided.



### Mattress properties



Antimicrobial  
Mattress



Fire retardant  
Mattress



Water proof  
Mattress

## EXAMINATION COUCH BACKREST IMED5701



Overall Dimension	2030 mm x 610 mm
Mattress Platform	1830 mm x 610 mm
Backrest	0° - 85°
Height (Incl. Mattress)	760 mm

### Specifications

- Backrest adjustable by screw lever mechanism for varied examination positions. The screw lever's handles are fold-able.
- Upper section of box with three drawers. Lower section comprises of three cabinets with separate doors and lock on one cabinet is provided.
- Inbuilt sliding step stool makes it easier for patient to climb the couch. Paper roller at the bottom of the table for placing tissue roller which improves the hygiene.
- High density waterproof mattress with Antimicrobial, Flame retardant and water repellent properties and two splits which enhances patients comfort and experience while on the table.
- The couch is provided with tissue roller holder for top notch hygienic environment.
- (Optional) B.P. apparatus tray provided near headrest.





**MATERNITY**

# IMED4015



Buffer to Buffer	1880 mm x 1035 mm	Max. Height (Incl. Mattress)	880 mm
Mattress Platform	1710 mm x 800 mm	Min. Height (Incl. Mattress)	630 mm
Backrest	0° - 65°	Trendelenburg	15°
		Reverse Trendelenburg	15°



# LDRP BIRTHING BED IMED4015

## Specifications

- Three section laminated top with perennial "U" notch. Backrest, height and trendelenburg and reverse trendelenburg adjustments electrically operated on actuators with user friendly handset.
- Leg section can be telescoped under the backrest section for lithotomy positions. Removable Polymer head & foot boards. Pair of Polymer railings.
- Complete with SS basin, SS Telescopic IV Pole, SS Hand grips, Padded Lithotomy Crutches (pair) and Rubber buffers. PU foam mattress covered with rexine. Four heavy duty castors of 125 mm castors with central locks.
- The length of the bed when the foot section is telescoped is 1480 mm. (Optional) Battery back-up with built-in charger.



## Features



Battery Backup



Central Locking

## Mattress properties



Antimicrobial Mattress



Fire retardant Mattress



Water proof Mattress





# TRANSFERS

# IMED5603



Buffer to Buffer	1780 mm x 890 mm	Max. Height (Incl. Mattress)	920 mm
Mattress Platform	1910 mm x 640 mm	Min. Height (Incl. Mattress)	610 mm
Backrest	0° - 75°	Trendelenburg	15°
		Reverse Trendelenburg	15°

# RECOVERY TROLLEY XL IMED5603

## Specifications

- The height of the trolley, Trendelenburg, reverse Trendelenburg can be adjusted through foot pedals using hydraulic mechanism.
- The backrest can be adjusted by pneumatics and footrest can be adjusted using screw lever mechanism. Manually adjustable calf elevation. The screw lever's handles are fold-able. O2 Cylinder holder provision.
- X-ray permeable top, central locking mechanism to lock all wheels at once. 5th wheel is provided to steer stretcher easily.
- Bottom is covered with a beautifully designed enclosure. Aluminium collapsible side rails is provided to prevent patient falls. High density water proof mattress with antimicrobial and fire retardant properties. Urine bag holder, heavy duty I.V. pole.

## Features



Central  
Locking



X-ray  
permeable



Fifth  
Wheel

## Mattress properties



Antimicrobial  
Mattress



Fire retardant  
Mattress



Water proof  
Mattress



### Mattress properties



Antimicrobial  
Mattress



Fire retardant  
Mattress



Water proof  
Mattress

## RECOVERY TROLLEY (MANUAL) IMED5601



Buffer to Buffer	1770 mm x 705 mm
Mattress Platform	1875 mm x 595 mm
Backrest	0° - 85°
Max. Height (Incl. Mattress)	910 mm
Min. Height (Incl. Mattress)	660 mm
Trendelenburg	15°
Reverse Trendelenburg	9°

### Specifications

- Two section top with removable stretcher top made of laminated board supported on tubular frame.
- Height adjusted by crank mechanism. Trendelenburg & reverse trendelenburg positions operated on crank mechanism. Backrest raised on ratchet. The screw levers handles are fold-able.
- Four 125 mm (5") diameter castor wheels with high grade synthetic body, two with brake and two without brake.
- Buffers at four corners. Oxygen cylinder cage and storage tray. Stainless steel telescopic I.V Rod along with provision at four locations and swing-away type stainless steel side rails. Safety belts provided. Pre-treated and powder coated finish. Mattress with Antimicrobial, Flame retardant and water repellent properties.
- (Optional) X-ray permeable top with cassette holder.





## STRETCHER TROLLEY SS IMED5621SS

Overall Dimension	2020 mm x 570 mm
Stretcher Platform	1785 mm x 540 mm
Height (Incl. Mattress)	1800 mm

### Specifications

- Strong stainless steel tubular construction. Removable SS stretcher top supported on tubular frame. Four heavy duty castors 8", two with brake on adjacent side.
- Also available as powder coated.
- (Optional) Oxygen cylinder holder (MS). Swing away type railing with stainless steel tubes.
- (Optional) Suitable 40 mm thick PU foam mattress covered with rexine for Plain stretcher top. IV rod with two hooks - SS.



## WHEELCHAIR ALUMINUM IMED6301AL

### Specifications

- Aluminium tubular framework fitted with comfortable seat and back.
- Two solid rubber tyre wheels. Two swivel castors in front of 150mm diameter. Safety belt provided.
- Retractable polymer footrests. Brake and self propelling hoops.







**DIALYSIS**



### Mattress properties



Antimicrobial  
Mattress



Fire retardant  
Mattress



Water proof  
Mattress

## DIALYSIS CHAIR IMED4032




Buffer to Buffer	1980 mm x 700 mm
Mattress Platform	1895 mm x 630 mm
Backrest	0° - 75°
Max. Height (Incl. Mattress)	950 mm
Min. Height (Incl. Mattress)	600 mm
Trendelenburg	15°

### Specifications

- The Height, Backrest, Kneerest and Trendelenburg adjustments are done with the help of a sophisticated remote controller.
- The Chair functions through quiet and super smooth electric motors.
- 5" Heavy duty castor wheels with brakes on adjacent side.
- The chair comes with a 3" High density mattress with Antimicrobial, Flame retardant and water repellent properties.
- The mattress is three sectional for easy adjustments.
- Height adjustable stainless steel IV pole with provision for IV pole on all four corners of the bed is provided as standard.
- Auto contour Adjustable Armrest helps in effortless comfort and the Adjustable Footrest helps in accommodating taller patients.



# WARD CARE - BEDS



### Mattress properties



Antimicrobial  
Mattress



Fire retardant  
Mattress



Water proof  
Mattress

## 2 FUNCTION BED DLX IMED5301



Buffer to Buffer	2080 mm x 1000 mm
Mattress Platform	1880 mm x 865 mm
Backrest	0° - 75°
Height (Incl. Mattress)	580 mm

### Specifications

- The backrest and kneerest of the bed can be manually adjusted using super smooth screw lever mechanism. The screw lever's handles are fold-able.
- Collapsible side rails made of aluminium helps prevent patients from falling of the bed.
- Durable and stylish ABS Head and Foot board for better cleaning and re-movable.
- 5" Heavy duty castor wheels, 2 with brakes and 2 without brakes on adjacent side.
- Rubber bumpers are provided on all four corners to prevent damage the bed and to the walls of the hospital. Bumpers also help in shock absorption.
- 4" High density mattress with antimicrobial, fire retardant and water proof properties. The mattress has four sections.
- (Optional) Urine bag holder, heavy duty I.V. pole.
- (Optional) Backrest and kneerest function adjusted through motor and operated through remote electrically.

## BEDSIDE CABINET XL IMED6004XL



Overall Dimension	475 mm x 475 mm
Height	765 mm

### Specifications

- This Sophisticated bedside locker is made of ABS material and is provided with a pull out writing pad in the front and a towel hanger on the side.
- The cabinet is provided with door and a drawer with super smooth hinges and rails respectively. The locker is mounted on 50mm castors for mobility.

## BEDSIDE CABINET DLX IMED6004



Overall Dimension	400 mm x 400 mm
Height	860 mm

### Specifications

- The cabinet is provided with door and a drawer apart from the open shelf in the middle. The locker is mounted on 50mm castors for mobility.
- It comes as standard with Stainless steel top with three side raised to reduce fall

## OVERBED TABLE ABS TOP IMED6005A



Overall Dimension	920 mm x 400 mm
Max. Height	1115 mm
Min. Height	740 mm

### Specifications

- The Height of the table is adjustable. The top of the table is made of ABS which is water-resistant and oil-resistant
- The Height is adjustable by pneumatic Aluminum column, which is strongly built with aesthetic design

## ATTENDANT COT DLX IMED6002



Dimension	1830 mm x 610 mm
Height (Incl. Mattress)	565 mm

### Specifications

- Construction made from mild steel tubes and sheets.
- Two cabinets with locks and open shelf in the middle. Supplied with high density mattress with antimicrobial, flame retardant and water proof properties.
- Pretreated and epoxy powder coated.

## OT & OTHER WARD CARE



### INSTRUMENT TROLLEY IMED5906

Buffer to Buffer	705 mm x 555 mm
Height	920 mm

#### Specifications

- Two shelves provided. Made of stainless steel. 5" PU Castors. Rails on three sides.



### DRESSING TROLLEY IMED5907

Buffer to Buffer	705 mm x 555 mm
Height	920 mm

#### Specifications

- Two shelves provided. Made of stainless steel. 5" PU Castors. Rails on three sides. Bucket & basin provided. Shelf size 610 mm x 460 mm.



### SALINE STAND IMED6012

450 mm x 450 mm x 2100 mm - 1300 mm

#### Specifications

- Made of stainless steel with 5 nos of 2" caster wheels for easy mobility. Height is adjustable by knob.



### REVOLVING STOOL IMED6017

460 mm x 460 mm x 710 mm - 530 mm

#### Specifications

- The stool is made of cushioned top and mild steel base. Height can be adjusted by rotating the top.



### LINEN TROLLEY IMED6014

510 mm x 850 mm

#### Specifications

- Trolley is made of stainless steel. Mounted on castor wheels. Provided with closure on top.

Notes:

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



Scan QR to visit our  
website

IMEDFURNS PRIVATE LIMITED  
No.61/1A, Service Road,  
Periyapanichery,  
Chennai - 600128.

+91 99625 25662  
+91 99625 45120  
info@imedfurns.com  
www.imedfurns.com



July 2023 Edition